U.S. Fish & Wildlife Service

## **Big Branch Marsh**

National Wildlife Refuge Bird List





This blue goose, designed by J.N. "Ding" Darling, has become a symbol of the National Wildlife Refuge System. Big Branch Marsh National Wildlife Refuge was established in October 1994 and is one of over 560 National Wildlife Refuges. The refuge is located along the north shore of Lake Pontchartrain, approximately 35 miles from New Orleans in Saint Tammany Parish, Louisiana. The purpose of the refuge is to protect a stretch of remaining natural shoreline of Lake Ponchartrain and to provide habitat for a diversity of wildlife species, with special emphases on migratory birds and endangered species.

The refuge is comprised of over 18,000 acres of coastal marsh, pine flatwoods, cypress brakes and hardwood forests.

Many woodland birds are year-round residents of the pine flat woods, including the endangered Red-cockaded Woodpecker.

Many Red-cockaded Woodpeckers can be observed on or near the Boy Scout Road trail and overlook marked on the map.

Spring and fall migrations bring many species of neotropical migrants through the refuge. A neotropical migrant is a bird that spends the summer in its breeding range in North America but migrates to Central or South America, or the Caribbean for its nonbreeding range in winter. More than 200 species are considered neotropical migrants. Many warblers, hummingbirds, shorebirds, songbirds and some hawks are neotropical migratory birds.

The refuge supports over 5,000 wintering waterfowl, including Mallards, Gadwall and Northern Pintails. At any time of year a wide variety of birds including shorebirds, wading birds, raptors, waterfowl, and songbirds can be sighted here. Brown pelicans and bald eagles are year-round residents of southeast Louisiana and are commonly seen at Big Branch Marsh.

Opportunities for bird watching on the refuge are plentiful, with over five miles of walking trails at Boy Scout Road, the Lemieux Road Educational Site, and almost four miles of more primitive trails near Paquet Road, Sapsucker Road, and at the end of Lucille Road. Big Branch Marsh maintains two public boat launches (one motorized, one non-motorized) at Lake Road and at the end of Sapsucker Road.

Birders interested in visiting the refuge should consult The American Birding Association's Code of Birding Ethics.

The following bird list contains 261 species, representing observations on and adjacent to Big Branch Marsh National Wildlife Refuge. Sightings of unlisted species should be reported to:

This list conforms to the nomenclature and arrangement established by the American Ornithologists' Union (1998). Symbols used in this brochure represent the following:

Sp Spring (March-May)

Su Summer (June-August)

F Fall (September-November)
W Winter (December-February)

C Common (certain to be seen in suitable habitat)

U Uncommon (present but not certain to be seen)Occasional (seen only a few times during a season)

R Rare (seen at intervals of 2 to 5 years)

Four primary habitats common where birds are expected to be found on the refuge are identified as follows:

F Forest

A Aerial Flyover

W Open Water

M Marsh


Species of special concern\* Non-native/exotic species^

Ducks Geese and Swans (Anatidae)	Sp	Su	F	W	Habitat
American Wigeon	U		U	C	W
Black-bellied Whistling-Duck	0	0	0	0	W
Blue-winged Teal	C	R	C	C	W
Bufflehead	U	r.10	0	C	W
Canada Goose	R	R	R	R	M
Canvasback	R		R	R	W
Common Goldeneye		48.		O	W
Gadwall	U		U	C	W
Greater Scaup	1			R	W
Greater White-fronted Goos	e O		0	O	W
Green-winged Teal	0		U	U	W
Hooded Merganser*	0	R	0	U	F
Lesser Scaup	U		U	C	W
Mallard	U		U	U	W
Mottled Duck	C	C	C	C	W
Muscovy Duck	U	U	U	U	W
Northern Pintail	U		U	C	W
Northern Shoveler	0		0	U	W
Red-breasted Merganser	0		0	U	W
Redhead				0	W
Ring-necked Duck	R	R	R		W
Ruddy Duck	R		R	R	W
Snow Goose	U		U	U	W
Wood Duck	C	C	C	C	F
New World Quail (Odontophoridae)					
Northern Bobwhite	C	C	C	C	F
Turkeys (Phasianidae) Wild Turkey	R	R	R	R	F
Loons (Gaviidae)					
Common Loon	0		0	U	W

Crahas (Dadiainadas)	Sp	Su	F	W	Habitat	Falsons (Falsonides)	Sp	Su	F	W	Habitat
Grebes (Podicipedae) Eared Grebe	R		R	R	W	Falcons (Falconidae) American Kestrel*	$\mathbf{C}$		$\mathbf{C}$	$\mathbf{C}$	F
Horned Grebe	0		R	0	W	Merlin	U		U	U	F
Pied-billed Grebe	Č	R	C	$\ddot{\mathrm{C}}$	W	Peregrine Falcon*	U		R	R	F
	Ü								10	10	•
Pelicans (Pelicanidae)	C	<b>A</b>	C	C	W	Rails, Gallinules, and Coots					
American White Pelican Brown Pelican*	C	C	C	C C	W	(Rallidae) American Coot	C	C	$\mathbf{C}$	C	M
					VV	Black Rail*	C	C	C	R	M
Cormorants (Phalacrocoracidae)			\	١. ا		Clapper Rail	U	U	U	U	M
Double-crested Cormorant	C	С	С	С	W	Common Moorhen	C	Č	Č	$\ddot{\mathrm{C}}$	M
Darters (Anhinga)						King Rail	U	U	Ū	Ü	M
Anhinga	0	0	0	O	W	Purple Gallinule	R	R			M
Frigatebirds (Fregatidae)						Sora	0		U	U	M
Magnificent Frigatebird		R			A	Virginia Rail	U	12/0	U	U	M
		-				Yellow Rail*				R	M
Bitterns, Herons, and allies (Ardeidae)						Plovers (Charadriidae)				-	
American Bittern*	R		R	R	M	Black-bellied Plover	0	17.0	0	R	M
Black-crowned Night-Heron		U	R	R	M	Killdeer	C	C	C	C	F
Cattle Egret ^	U	Ü	U	U	F	Semipalmated Plover	0	180	0	R	M
Great Blue Heron	Č	Č	Č	Č	M	Wilson's Plover*	256	R			M
Great Egret	C	C	C	C	M	Stilts (Recurvirostridae)					
Green Heron	R	C	R	R	M	Black-necked Stilt	C	C	C	U	M
Least Bittern*	0	U	0		M	Sandpipers, Phalaropes, and					
Little Blue Heron	U	C	U	U	M	Allies (Scolopacidae)			Sec.		
Reddish Egret*	R	R	R	R	M	American Woodcock*	0		0	0	F
Snowy Egret	C	C	C	C	M	Dunlin	U		U	U	M
Tricolored Heron Yellow-crowned Night-Heron	U	C	U	U	M M	Greater Yellowlegs	C		U	U	M
	10		U		1/1	Least Sandpiper	U		U	U	M
Ibises and Spoonbills						Lesser Yellowlegs	U		U	U	M
(Threskiornithidae)					3.6	Long-billed Dowitcher	0		0	R	M
Glossy Ibis*	U	U	U	U	M	Pectoral Sandpiper	0		0		M
Roseate Spoonbill* White Ibis	C	R C	R C	C	M M	Red Knot*	R R		R R	R	M M
White-faced Ibis	U	U	U	U	M	Ruddy <mark>Turnstone</mark> Sander <mark>ling</mark>	R		0	0	M
The second secon	U	O	O		141	Semipalmated Sandpiper*	0		0	U	M
New World Vultures (Cathartidae)	~		~	~		Short-billed Dowitcher	ő		Ö	R	M
Black Vulture	C	C	C	C	A	Solitary Sandpiper*	O	1	Ö		M
Turkey Vulture	C	С	С	C	A	Spotted Sandpiper		Man	U	U	M
Hawks, Kites, Eagles, and Allies						Stilt Sandpiper	U R	100	R		M
(Accipitridae)	1					Western Sandpiper	U		U	U	M
Bald Eagle*	U		U	U	A	Willet	R		R	~	M
Broad-winged Hawk		U	U		F	Wilson's Snipe	U		U	C	M
Cooper's Hawk*	U		U	U	F	Gulls, Terns, and Skimmers				r.	
Mississippi Kite Northern Harrier	C	С	U	C	A F	(Laridae)	1/2				
Osprey*	U	U	U	U	M	Bonaparte's Gull	0		0	U	A
Red-shouldered Hawk	Č	Č	Č	Č	F	Herring Gull	U	R	U	U	A
Red-tailed Hawk	Č	$\tilde{\mathrm{C}}$	Č	$\tilde{\mathrm{C}}$	F	Laughing Gull	C	C	C	C	A
Sharp-shinned Hawk	U	U	U		F	Ring-billed Gull	U	R	U	С	A
Swallow-tailed Kite*	U	U			A	Black Tern Caspian Tern*	R U	U	R U	U	A A
						Oaspian Tern	U	U	U	U	Α

Common Tern Forster's Tern	Sp R C	Su C	F R C	WR	Habitat A A	Least Flycatcher Olive-sided Flycatcher*	Sp	Su	$F \\ O \\ R$	W	Habitat F F
Gull-billed Tern* Least Tern* Royal Tern	R O U	R C C	R O C	R C	A A A	Shrikes (Laniidae)Loggerhead Shrike*	С	$\mathbf{C}$	C	С	F
Sandwich Tern Black Skimmer*  Pigeons and Doves (Columbidae)	R R	R R	R R	R R	A A	Vireos (Vireonidae) Blue-headed Vireo Philadelphia Vireo	U R		U U	С	F F
Common Ground-Dove* Eurasian Collared-Dove ^ Mourning Dove	R U C	R C C	R U C	R U C	F F F	Red-eyed Vireo White-eyed Vireo Yellow-throated Vireo	C C C	C C C	C C C	С	F F F
Rock Pigeon ^ White-winged Dove Cuckoos (Cuculidae)	U	U	UO	U	F F	Jays and Crows (Corvidae)American CrowBlue Jay	CCC	CCC	CC	CCC	F F
Black-billed Cuckoo Yellow-billed Cuckoo	R U	R U	R U		F F	Fish Crow Larks (Alaudidae) Horned Lark	С	С	С	C R	W
Typical Owls (Strigidae)  Barred Owl  Eastern Screech-Owl  Great Horned Owl	C U C	U	C U C	U	F F F	Swallows (Hirundinidae) Bank Swallow Barn Swallow Cliff Swallow	U C O	$\mathbf{C}$	U C O		A A A
Barn Owls (Tytonidae)Barn Owl	U	U	U	U	F	Northern Rough-winged Swallow	U	U	U		A
Goatsuckers (Caprimulgidae) Chuck-will's-widow* Common Nighthawk	U O		U O		F F	Purple MartinTree Swallow Chickadees and Titmice (Paridae	C C	С	U C	C	A A
Swifts (Apodidae)Chimney Swift	C	C	C	5	A	Carolina Chickadee Tufted Titmouse	CCC	C	C	C C	F F
Hummingbirds (Trochilidae) Ruby-throated Hummingbir Rufous Hummingbird	dC	C	C	R	F F	Nuthatches (Sittidae)Brown-headed Nuthatch*Red-breasted Nuthatch	C	C	C R	C R	F F
Kingfishers (Alcedinidae) Belted Kingfisher	C	C	C	C	w	Creepers (Certhiidae)Brown Creeper	U	1	U	U	F
Woodpeckers (Picidae)Downy WoodpeckerHairy WoodpeckerNorthern FlickerPileated WoodpeckerRed-bellied Woodpecker	C C C	C C C	C C C	C U C C C	F F F F	Wrens (Troglodytidae)Carolina WrenHouse WrenMarsh WrenSedge Wren*Winter Wren	CUCUO	C	C U C U O	C C C U R	F F M M
Red-cockaded Woodpecker* Red-headed Woodpecker* Yellow-bellied Sapsucker	UUUU	U	U U C	U U C	F F F	Kinglets (Regulidae) Golden-crowned Kinglet Ruby-crowned Kinglet	U C		U C	U C	F F
Tyrant Flycatchers (Tyrannidae)Acadian Flycatcher Alder Flycatcher	U	U	U		F F	Gnatchatchers (Sylviidae)Blue-gray Gnatcatcher	C	C	C	С	F
Eastern Kingbird Eastern Phoebe Eastern Wood-Pewee Great Crested Flycatcher	C C C C	C C C	C C C U	C	F F F F	Thrushes (Turdidae)American RobinEastern BluebirdGray-cheeked Thrush	U C U	С	U C U	C C	F F F

	Sp	Su	F	W	Habitat		Sp	Su	F	W	Habitat
Hermit Thrush	Ú		U	U	F	Tanagers (Thraupidae)	•				
Swainson's Thrush	U		U		F	Scarlet Tanager	R		$\mathbf{R}$		F
Veery	O		O		F	Summer Tanager	U	U	U		F
Wood Thrush*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$		F	Emberizids (Emberizidae)					
<b>Mockingbirds and Thrashers</b>						Bachman's Sparrow*	U	IJ	U	U	F
(Mimidae)						Chipping Sparrow	Ü	O	Ü	$\ddot{\mathrm{C}}$	F
Brown Thrasher	C	C	C	$\mathbf{C}$	S	Dark-eyed Junco	Ü		Ü	$\tilde{\mathbf{C}}$	F
Gray Catbird	Ü	Ü	Č	Č	$\widetilde{\mathbf{S}}$	Eastern Towhee	Č	С	Č	Č	F
Northern Mockingbird	C	C	Č	C	F	Field Sparrow	Ŏ		Ö	Ü	F
						Fox Sparrow				R	F
Starlings (Sturnidae)	a	a	a	C	170	Grasshopeer Sparrow*	O		0	U	F
European Starling ^	C	C	C	С	F	Henslow's Sparrow*	O		O	0	F
Pipits (Motacillidae)						Lark Sparrow*	O		0	U	$\mathbf{F}$
American Pipit	0		0	U	F	Le Conte's Sparrow*	O		O	U	F
Waxwings (Bombycillidae)						Lincoln's Sparrow	U		$\mathbf{C}$	C	F
Cedar Waxwing	C		U	C	F	Nelson's Sharp-tailed Sparrow'	* O		0	U	M
					ALC: No.	Savannah Sparrow	$\mathbf{C}$		C	C	M
Wood-Warblers (Parulidae)		100		18/		Seaside Sparrow*	U	U	U	U	M
American Redstart*	U	U	U		F	Song Sparrow	U		U	C	M
Bay-breasted Warbler	0		0		$\mathbf{F}$	Swamp Sparrow	С		C	C	M
Black-and-white Warbler	0		0		$\mathbf{F}$	Vesper Sparrow	0		0	U	F
Blackburnian Warbler	0		0		$\mathbf{F}$	White-crowned Sparrow	0		0	U	F
Black-throated Blue Warbler			R	(Pas)	F	White-throated Sparrow	U		U	C	F
Black-throated Green Warbler			U	4000	F	Cardinals, Saltators, and Allies					
Blue-winged Warbler*	U	997	U	100	F	(Cardinalidae)		1			
Canada Warbler*	R	40	0	Eift.	F	Blue Grosbeak	U		U		F
Cerulean Warbler*	R		R		F	Dickcissel*	R	R	R		F
Chestnut-sided Warbler	R	-6	R	a	F	Indigo Bunting	U	C	U	11	F
Common Yellowthroat	C	C	C	C	F	Northern Cardinal	C	C	C	C	F
Golden-winged Warbler*	R	TT	R U		F F	Painted Bunting*	0	U	0		F
Hooded Warbler	U	U	U		F F	Rose-breasted Grosbeak	U		U		F
Kentucky Warbler* Louisiana Waterthrush*	R	U	R		F	Blackbirds (Icteridae)	<b>Q</b> 32	763		-	
Magnolia Warbler	U		U	_	F	Baltimore Oriole	U		U		F
Nashville Warbler	U		U	-	F	Boat-tailed Grackle	C	С	C	C	M
Northern Parula	C	C	C	- 25	F	Brewer's Blackbird	O	O	O	R	F
Northern Waterthrush	Ö	O	Ü	20	F	Bronzed Cowbird		U		10	F
Orange-crowned Warbler	Ü		U	C	F	Brown-headed Cowbird	С	Č	С	С	F
Ovenbird	U		Ŭ		F	Common Grackle	Č	$\tilde{\mathrm{C}}$	Č	Č	F
Palm Warbler	U	9	C	$\mathbf{C}$	F	Eastern Meadowlark	Č	$\tilde{\mathrm{C}}$	Č	$\tilde{\mathbf{C}}$	F
Pine Warbler	Č	C	$\tilde{\mathrm{C}}$	$\check{\mathrm{C}}$	F	Orchard Oriole*		Ŭ	ŏ		F
Prairie Warbler*	R		R		F	Red-winged Blackbird	C	C	C	C	M
Prothonotary Warbler*	C	$\mathbf{C}$	U		F	Rusty Blackbird*	Ö		0	Ü	M
Swainson's Warbler*	O	Ü	O		F				1	1	
Tennessee Warbler	Ŭ		Ŭ		$\overline{\mathrm{F}}$	Frigilline and Cardueline				1	
Wilson's Warbler	O		O	$\mathbf{R}$	F	Finches and Allies (Fringillidae)	TT		TT	C	T.7
	O	$\mathbf{R}$	O		F	American Goldfinch	U	TT	U	C	F
Yellow Warbler	0		U		F	House Finch ^ Pine Siskin	U	U	U	U	F F
Yellow-breasted Chat	U	$\mathbf{C}$	U		F	Purple Finch	0		0	R O	r F
Yellow-rumped Warbler	$\mathbf{C}$		$\mathbf{C}$	$\mathbf{C}$	F		U		U	U	Г
Yellow-throated Warbler	O	O	O	$\mathbf{R}$	F	Old World Sparrows (Passeridae)					
						House Sparrow ^	U	U	U	U	F





## Reporting Your Sightings On eBird

This online checklist program provides birders and U.S. Fish and Wildlife staff with updated birding reports. The database maximizes the utility and accessibility of bird observations

made each year by both recreational and professional bird watchers. The program is one of the largest and fastest growing biodiversity data resources in existence. The reports on eBird serve as a vital foundation for better understanding bird distribution. The program resources are free to access and are used by a global community of educators, land managers, ornithologists, and conservation biologists.



Responsible birders should abide by the American Birding Association's Code of Birding Ethics. More information can be found at http://www.aba.org

- 1. Promote the welfare of birds and their environment.
- 2. Respect the law, and the rights of others.
- 3. Ensure that feeders, nest structures, and other artificial bird environments are safe.
- 4. Group birding, whether organized or impromptu, requires special care.

Big Branch Marsh National Wildlife Refuge U.S. Fish & Wildlife Service 1 800/344 WILD March 22, 2013